
naim



HOME COLLECTION PRICELIST 2026


STRATOS INTERNATIONAL

Stratos International Sp. z o.o., ul. Klimczaka 1A, 02-797 Warszawa | tel. +48 601 915 210 | e-mail: biuro@stratos-int.eu | stratos-int.eu



MU-SO UTOPIA

All-in-one immersive system



Mu-so Utopia uses audiophile-grade technology in a seamless, one-box solution. It is the first-ever Naim product to carry the revered Utopia signature, and combines cutting-edge electronics, exclusive acoustic innovation and the distinctive Utopia design cue in an elegant all-in-one system. Created for music lovers, Mu-so Utopia delivers remarkable audio scale, precision and emotion. Equipped with exclusive Focal loudspeakers and, to date, the most sophisticated amplification ever developed for a Mu-so System, it reveals every musical nuance with exceptional clarity and musicality. Supporting immersive Dolby Atmos® playback, Mu-so Utopia sets a new benchmark for all-in-one performance and brings the Utopia signature to Naim for the very first time.

MU-SO UTOPIA

All-in-one immersive system

Speaker Drivers	15 Speaker Drivers Front: 3 x Woofers (6"x3") 2 x Midranges (2.75") with 'W' speaker driver 'M'-shaped 2 x Tweeters (1") with PRISM technology Side: 4 x Full range (1.5"x 2.75") Top: 4 x Full range (1.5"x 2.75")
Bandwidth (+/-3dB)	30Hz – 20kHz
Analogue outputs	1 x RCA pair for subwoofer connection
Digital inputs	1 x Optical TOSLINK (up to 24bits/96kHz) 1 x HDMI eARC, CEC 1 x RJ45 Ethernet
Weight	14.1 kg
Dimensions (HxWxD)	4.65x39.37x11.61" (11.8x100x29.5cm)
Availability	FOCAL Powered by naim

Price: **5 000 €/Pc.**



STATEMENT

Without compromise



Designed for pure musical performance, Statement is the pinnacle of Naim engineering knowledge and artistry. The series comprises the NAC S1 preamplifier and NAP S1 mono power amplifiers. Statement was over ten years in the making. We started with a blank page, specifying each element based on forty years of engineering experience and setting aside all traditional constraints on design to focus solely on musical performance. From first concept to final build, we've made no compromises in our pursuit of the ultimate sound.

Every part of Statement contributes to its performance. From the aluminium casework and stainless steel floor spikes to the custom transistors, we left no stone unturned in our pursuit of the ultimate sound. The NAC S1 preamp and NAP S1 mono power amps have two key elements: the high-calibre power supply components in the lower half and the sensitive electronics in the upper half. Between them sits an acrylic partition to eliminate interaction. The overall effect is supreme sound performance through minimising electromagnetic, mechanical, acoustic and thermal interchange.

NAC S1

Preamplifier

Analogue Input	3 X DIN, 3 X RCA, 2 X Balanced
Audio Outputs	1 X Balanced, 2 X Unbalanced (4 pin DIN sockets)
Weight	61.5kg
Dimensions (HxWxD)	940 x 270 x 412mm (width includes stabiliser)

Price: 99 999 €/Pc.

NAP S1

Mono power amplifier

Analogue Input	1 x XLR (each)
Audio Outputs	Binding posts for spade & 4mm banana
Power Output	746W into 8 ohms, 1450W into 4 ohms, 9kW burst power into 1 ohm
Weight	101kg (each)
Dimensions (HxWxD)	940 x 256 x 383mm (each)

Price: 89 999 €/Pc.



500 SERIES

Performance without limits



ND 555 Network Audio Player

Digital Audio Output	1 x BNC S/PDIF (up to 24bits/192 kHz)
Analogue Outputs	1 x RCA pair, 1 x 5-pin DIN
USB	2 x USB Type A socket (front and rear)
Digital Inputs	2 x Optical TOSLink, 1 x Coaxial RCA, 1 x Coaxial BNC
Dimensions (HxWxD)	$3^{3/8}$x17x$12^{3/8}$ (8.7x43.2x31.4cm)
Weight	27.56lbs (12.25kg)

Price: 20 999 €/Pc.



NAC 552 Preamplifier

Analogue inputs	7 x DIN, 2 x RCA
Dimensions (HxWxD)	3.4"x13.4"x 12.3" (8.7x43.2x31.4cm)
Weight	12.9 kg

Price: 19 499 €/Pc.



NAPS 555 DR Power supply

Digital Inputs	± 22V, ± 10V, 12V, 2 x 15V
Mains Supply	100V, 115V, 230V; 50 or 60Hz
Dimensions (HxWxD)	3.4x13.4x12.3" (8.7x43.2x31.4cm)
Weight	34.6lbs (15.7kg)

Price: 9 999 €/Pc.



552 PS Power supply

Description	Power supply for Naim NAC 552 preamplifier
Dimensions (HxWxD)	3.4"x13.4"x12.3"(87x432x314 cm)
Weight	28.4lbs (12.9kg)

Price: 9 999 €/Pc.



300 SERIES

New Classic - Welcome to a new era in sound



NAP 350 Amplifier

Power output	175 Watts 8Ω @0.1% THD+N (195W @1%), 345 Watts 4Ω @1% THD+N
Frequency response	-3dB @ 1.4Hz to 100kHz
Inputs	1 x 47kΩ True balanced via XLR 1 x 34kΩ singled ended via legacy adaptor lead
Dimensions (HxWxD)	3 5/8x17x12 1/2" (9.15x43.2x31.75cm)
Weight	36.38lbs (16.5kg)
Price:	**7 000 €/Pc.**



NAC-332 Preamplifier

Analogue inputs	1 x 8-pin DIN, 2 x 5-pin DIN, 3 x RCA pair, 2 x XLR balanced pair, 8-pin DIN compatible with 5-pin DIN
Analogue outputs	1 x XLR pair, 1 x RCA pair, 1 x 6.35mm headphone jack
Frequency response	Line: 3Hz to 40kHz -3dB
Dimensions (HxWxD)	3 5/8x17x12 1/2" (9.15x43.2x31.75cm)
Weight	24.25lbs (11kg)
Price:	**9 000 €/Pc.**



NVC-TT MM/MC phono preamplifier

Description	Switchable MM/MC phono stage with MC load adjustment
Dimensions (HxWxD)	23/4x 83/8x 121/2" (7x21.4x31.7cm)
Weight	7.5lbs (3.4kg)
Price:	**2 999 €/Pc.**



NSS-333 High-resolution streamer

Analogue outputs	1 x XLR pair (balanced, 2.1Vrms), 1 x RCA pair (2.1Vrms), 1 x 5-pin DIN
Digital inputs (S/PDIF)	2 x Optical TOSLINK, 1 x coaxial RCA, 1 x coaxial BNC
Digital outputs (S/PDIF)	1 x coaxial BNC (up to 24bit 192kHz)
Dimensions (HxWxD)	35/8x17x121/2" (9.15x43.2x31.75cm)
Weight	24.25lbs (11kg)
Price:	**9 000 €/Pc.**



NPX-300PS Power supply

Description	Ideal for the 300 and 200 Series sources and preamplifiers.
Dimensions (HxWxD)	35/8x17x121/2" (9.15 x 43.2 x 31.75cm)
Weight	31.75lbs (14.4kg)
Price:	**7 000 €/Pc.**



NPX TT Power supply

Description	Dedicated power supply for the NVC TT
Dimensions (HxWxD)	2 3/4x8 3/8x13" (7x21.4x33cm)
Weight	12.35lb (5.6kg)
Price:	**2 999 €/Pc.**



200 SERIES

New Classic - Welcome to a new era in sound



NSC-222 Streaming preamplifier

Analogue inputs	1 x moving magnet phono, 1 x 8-pin DIN, 1 x RCA, 8-pin DIN compatible with 5-pin DIN
Analogue Outputs	1 x XLR pair, 1 x RCA pair, 1 x 6.35mm headphone jack
USB	2 x USB Type A socket (front and rear - 1.6A charge)
Digital Inputs (S/PDIF)	2 x Optical TOSLINK, 1 x coaxial RCA, 1 x coaxial BNC
Dimensions (HxWxD)	3 3/8" x 17" x 12 1/2" (9.15x43.2x31.75cm)
Weight	24.25lbs (11kg)

Price: 7 000 €/Pc.



NAP-250 Power Amplifier

Power output	100 Watts 8Ω @0.1% THD+N (100W @0.1%) 190 Watts 4Ω @1% THD+N
Frequency response	-3dB @ 1.4Hz to 100kHz
Inputs	2 x True balanced via XLR, 47kΩ 34kΩ singled ended via legacy adaptor lead
Dimensions (HxWxD)	3 5/8" x 17" x 12 1/2" (9.15x43.2x31.75cm)
Weight	37.04lbs (16.8kg)

Price: 7 000 €/Pc.



UNITI

Transform your listening life



UNITI ATOM HDMI Streaming Amplifier

Analogue inputs	1 x Stereo RCA pair
Analogue outputs	1 x Stereo power amplifer, 1 x RCA sub/pre output
Digital inputs	2 x optical TOSLink, 1 x coaxial RCA
Dimensions (HxWxD)	3.75"x9.44"x 10.43" (9.5x24.5x26.5cm)
Weight	7kg

Price: 2 599 €/Pc.



UNITI ATOM HEADPHONE Streaming Amplifier

Analogue inputs	1 x Stereo RCA pair
Analogue outputs	1 x Stereo XLR Preamp output, 1 x RCA sub/pre output
Digital inputs	2 x optical TOSLink, 1 x coaxial RCA
Dimensions (HxWxD)	3.75"x9.44"x 10.43" (9.5x24.5x26.5cm)
Weight	7kg

Price: 2 599 €/Pc.



UNITI STAR LITE Streaming Amplifier

Analogue inputs	1 x RCA pairs, 1 x 5-pin DIN
Analogue outputs	1 x Stereo power amplifier, 1 x RCA sub/pre output, 1 x 3.5mm headphone jack
Digital inputs	2 x Optical TOSLink, 2 x Coaxial RCA, 1 x BNC, 1 x HDMI ARC, 1 X SD Card
Dimensions (HxWxD)	3.75"x16.9"x 10.43" (9.5x43.2x26.5cm)
Weight	12kg

Price: 3 999 €/Pc.



UNITI NOVA PE Streaming Amplifier

Analogue inputs	2x 5-pin DIN, 2 x RCA
Analogue outputs	1 x Stereo power amplifier, 1 x 4-pin DIN, 1 x RCA pair, 1 x 3.5mm headphone jack
Digital inputs	2 x optical TOSLink, 1 x coaxial RCA, 1 x coaxial BNC
Dimensions (HxWxD)	4.33"x16.9"x10.43" (11.6x43.2x26.5cm)
Weight	15.1kg

Price: 8 499 €/Pc.



UNITI NOVA Streaming Amplifier

Analogue inputs	2x 5-pin DIN, 2 x RCA
Analogue outputs	1 x Stereo power amplifier, 1 x 4-pin DIN, 1 x RCA pair 1 x 3.5mm headphone jack
Digital inputs	2 x optical TOSLink, 1 x RCA coaxial, 1 x BNC coaxial
Dimensions (HxWxD)	3.75"x16.9"x 10.43" (9.5x43.2x26.5cm)
Weight	13kg

Price: 4 999 €/Pc.



MU-SO

Excellence Remastered



MU-SO 2ND GENERATION

All-in-One System

Product type	All-in-one System - 6 Speakers
Analogue Input	1 x 3.5mm jack
Digital inputs	1x Optical S/PDIF up to 96khz
Other inputs	HDMI ARC (with CEC)
USB ports	USB2 (Type A connector)
Dimensions (HxWxD)	4.72”x24.4”x9.44” (12.2x62.8x24.6cm)
Weight	11.2kg

Price: 999 €/Pc.



MU-SO GRILL

Grills for Mu-so 2nd Generation

Finishes	Olive, Peacock, Terracotta

Price: 69 €/Pc.



CI SERIES

The best in integrated audio



CI-NAP 101 Mono power amplifier

Power low impedance	8Ω- 500W / 4Ω - 800W
Power high impedance	100V - 240W / 70V - 150W
Audio Inputs	Analogue – stereo RCA, Combined to mono (47kΩ)
Audio Outputs	Line - Stereo RCA, Low Impedance/70V/100V - Euroblock
Dimensions (HxWxD)	13/4x173/8x113/4" (4.45x44x 30cm)
Weight	19.6lbs (8.9kg)
Price:	**1 499 €/Pc.**



CI-NAP 108 8-channel power amplifier

Power low impedance	8Ω- 150W / 4Ω - 260W
Power high impedance	-
Audio Inputs	Analogue - RCA (47kΩ)
Audio Outputs	Line - RCA, Speakers - Euroblock
Dimensions (HxWxD)	25/8x173/8x113/4" (6.66x44x30cm)
Weight	15.4lbs (7.7kg)
Price:	**2 999 €/Pc.**



CI-UNITI 102 Streamer Amplifier

Number of channels	Line - 4, Amp -2
Power low Impedance	8Ω - 150W, 4Ω - 260W
Audio Inputs	Analogue – Stereo RCA, S/PDIF, HDMI eARC
Audio Outputs	Main: 1 Stereo RCA, Amplified: Terminal block / Euroblock / Banana connector - 4mm, Sub/Aux : 1 Stereo RCA
Dimensions (HxWxD)	13/4 x 113/4 x 113/4" (4.45x30x30cm)
Weight	9.9lbs (4.5kg)
Price:	**1 499 €/Pc.**

STRATOS
INTERNATIONAL

Stratos International Sp. z o.o.
ul. Klimczaka 1A, 02-797 Warszawa
tel. +48 601 915 210
e-mail: biuro@stratos-int.eu
stratos-int.eu